

SSW
PERFORMANCE WHEELS



STAMFORD SPORT WHEELS CO., LTD

1112, B, K, 3, Moo 2, Highway 240 Suphithong Rd., T. Bang, A. Sakon, Nonthaburi 11150, THAILAND
Tel: 9607 2-957-7100, Fax: 9607 2-955-5847
e-mail: ssw@stamfordwheels.com, www.stamfordwheels.com

صيا صيا صيا
ISO 9001 : 2008
ISO/TS 16949 : 2009



ISO/TS16949



COLLECTION 2014/15

Company Profile

Shanghai Sport Wheel (SSW) is a subsidiary of Shanghai Tyre Corporation Limited (STCL), a global tyre and wheel specialist, established in the 1980s and head office in Singapore. The expertise lies in our international distribution competence. STCL is listed on the main board of the Singapore Exchange Securities Trading Limited (SGX-ST).

SSW, a manufacturer of light aluminium alloy wheels, is established in 2004. With the exclusive design and engineering teams, we can produce an exceptional line of wheels that offer exciting style, look and performance, from rim 17" to 24" available for passenger car, SUV and light truck (4x4). The factory has a built-up area of 19,000 sqm and is located 60 km from the north of Hangzhou in the province called "Zhejiang". With more than 400 staffs and two state-of-the-art factory lines, SSW has a production capacity of 800,000 pcs. per year. Beside domestic market our main customers covers 7 continents which includes Europe, North America, Asia, Africa, South America, Africa and Australia.

We have both Tinting Density and Low Pressure Casting machine in our facilities. Together with a modernized painting line, housed in a clean environment with dust free spray booths, this allows us to achieve more consistent and flawless finishing. Under stringent quality control process, SSW's plant is certified by TUV Rheinland, Germany for ISO 9001:2008 and TS16949:2009 since year 2006 and our production of alloy wheels has been certified by JWL / JWL-T (Japan), SRI (Indonesia standard), GORL (Russian standard), and TSE (Turkish standard).

SSW offers the highest quality alloy wheels at an affordable price level. We continuously conduct market research on the latest materials and production technology to ensure that as a customer you are treated to the latest innovation in the "Wheel World". Lastly, all our SSW designs go through the most strictest safety standards that will give the most reassuring you a piece of mind.



REFEX 2012 COMPANY - THE HIGHLIGHT OF THE TYRE INDUSTRY, once again impressively confirmed the leading role of the fair as the most important meeting of the tyre industry. In an exhibition area covering a total of 60,000 sq.m., top-level companies presented their products and services for new fleets, the latest tyre and chassis technology, retreading, vulcanization and workshops.



CITEXPO - CHINA INTERNATIONAL TYRE EXPO 2012, INV received its share as the best platform for the tyre industry's professionals in business deals, brand promotion and information exchange. Since 2002 CITEXPO has been held in the same city in China (Shanghai) and has become one of most popular trade shows in the tyre industry in the globe.



GENEVA INTERNATIONAL MOTOR SHOW, 2012. The 84th International Motor Show held in Geneva this spring attracted some 890,000 car lovers. According to an independent survey carried out on 1,224 visitors, most were enthusiastic making motor, auto lease cars and regularly attend the event. The 84th Geneva Motor Show will take place between, just the industry's organizers have just opened an registration to avoid the exhibition.



AUTOMECHANIKA - SOUTH AFRICA 2012. The Automotive industry dominates the Top 10' WRE, Automechanika South Africa and the Johannesburg Motor Show ranking 1 & 4 respectively. According to the Automechanika South Africa website they have 367 exhibitor companies, 182 international companies from 23 countries, 20% South Africa, 50% international and a visitor count of 8 480 for the 2012 event.



THE 2012 SEMA Show Las Vegas: The SEMA Show is the premier automotive specialty products trade show in the world. It draws the industry's brightest minds and hottest products to one place. The Las Vegas Convention Center. In addition, the SEMA Show provides attendees with educational seminars, product demonstrations, special events, networking opportunities and more.

THE FACTORY LINE



CASTING TECHNOLOGY



Low Pressure Casting



Continuous Heat Treatment



Tilting Gravity Casting



Automatic Lifting



Gravity Robot

MACHINING LINE



100% QUALITY CONTROL



Tyre Bead



Run Out



Wheel Balancing



Air Leakage

AUTOMATED PAINTING LINE



Paint free part booth for high quality finishing



Automated Painting system. Capacity 100,000 pieces



Robotic Transfer

DESIGN AND ENGINEERING



Computer Aided Design (CAD)



Finite Element Analysis



Computer Aided Design (CAD)



Impact on spoke



Impact between spokes

LABORATORY EQUIPMENT



Coarse metal and fine grinding machine with coolant and air pressure



Tap



High speed heat treating oven with air and nitrogen atmosphere



Rockwell



Surface grinding machine



High speed heat treating oven with air and nitrogen atmosphere



High speed heat treating oven with air and nitrogen atmosphere

ACCREDITATIONS



ISO 9001:2015 Certified
Manufacturing of Aluminium Alloy Wheels
by the national authority under process
design and development certified by TÜV
Rheinland

ISO 14001:2015 Certified
Super Light Alloy Automotive Wheels
Strong Quality Management System
and Environmental Management System
certified by TÜV Rheinland

ISO 9001:2015 Certified
Technical Standard Assessment
by Royal Assent Council & ISO
for International
Recognition and Certification

ISO 9001:2015 Certified
Certificate of Conformity in
Product Standards
by the only international authority
approved in Malaysia

TECHNOLOGY



PLASMA HIGH VACUUM COATING TECHNOLOGY

Standard has invested a brand new independent state of art Plasma high vacuum coating technology facility in addition to their chrome free paint line. With this facility, wheels are coated with brilliant sparkling finishes of either "Stainless Metallic Chrome" or "Black Metallic Chrome" to achieve a higher level of finishing. Plasma high vacuum coating technology apply Physical Vapor Deposition (PVD). It is a process in which solid "target" material is vaporized and then deposited on to wheels to create a film of sparkling effect. The high vacuum coating machine creates plasma during the deposition process in the low rough vacuum environment. A high voltage is being used to produce a glow discharge to form the plasma, achieving surface finish of the highest quality.



Stainless Metallic Chrome

Black Metallic Chrome

Black Metallic Chrome / Full Paint

This technology requires a clean room environment to provide the ideal uniform film surface finish to the wheel. This process involves greater attention to detail, including an air line of automatic gas filters to reach areas previously unobtainable, and areas which will see a greater value effect in the process.



CHROME LINE S 213

Black Metallic Chrome / Full Paint



CHROME LINE S 166

Black Metallic Chrome / Full Paint



CHROME LINE S 174

Black Metallic Chrome / Full Paint



CHROME LINE S 190

Black Metallic Chrome / Full Paint



CHROME LINE S 191

Black Metallic Chrome / Full Paint



CHROME LINE S 231

Black Metallic Chrome



CHROME LINE S 232

Black Metallic Chrome

PASSENGER CAR



PASSENGER CAR			S 202
SIZE	HOLE	P.C.D.	
15 x 6	4.8	100-114.2	
17 x 7.5	4.8, 5.8, 6	100-114.2	
17 x 8	4.5	100-114.2	
16 x 6.5	5.5	100-114.2	
19 x 8.5	5.8	100-114.3/130.7	
18 x 10.5	5.8	100-114.3/130.7	



COMING SOON

PASSENGER CAR			GS 802
SIZE	HOLE	P.C.D.	
17 x 7.5	4.8	100-114.2	
17 x 8.5	4.8	100-114.2	
18 x 9	5	100-120	
18 x 9	5	100-120	



PASSENGER CAR			S 242
SIZE	HOLE	P.C.D.	
15 x 7	4.8	100-114.2	NEW
17 x 7.5	4.8	100-114.2	
17 x 8	4.5	100-114.2	
18 x 8	5	100-120	
18 x 8	5	100-120	
20 x 8.5	5	100-130	
20 x 9	5	100-130	



NEW

PASSENGER CAR			S 228
SIZE	HOLE	P.C.D.	
17 x 7.5	4.8	100-114.2	



COMING SOON

PASSENGER CAR			GS 801
SIZE	HOLE	P.C.D.	
20 x 8.5	5	100-120	
20 x 10	5	112-130	



The car got Wheel MODEL GS 802 17x8



PASSENGER CAR

PASSENGER CAR			\$ 200
SIZE	HOLE	P.C.D.	
16 x 7	4.5 x 10	100-114.3	
17 x 7.5	4.5 x 10	100-114.3	
17 x 8.5	4.5 x 10	100-114.3	
17 x 8.5	4.5 x 10	100-114.3	
18 x 8	-	100-114.3	
18 x 8.5	-	100-114.3	
18 x 9.5	-	100-114.3	

PASSENGER CAR			\$ 200
SIZE	HOLE	P.C.D.	
20 x 9.5	-	112-126	

PASSENGER CAR			\$ 210
SIZE	HOLE	P.C.D.	
20 x 8.5	-	108-120	

PASSENGER CAR			\$ 214
SIZE	HOLE	P.C.D.	
19 x 8.5	-	100-120	
20 x 8.5	-	100-120	

NEW

PASSENGER CAR			\$ 230
SIZE	HOLE	P.C.D.	
17 x 7.5	4.5	100-114.3	
18 x 8	-	100-120	



PASSENGER CAR			\$ 234
SIZE	HOLE	P.C.D.	
17 x 7.5	4.5	100-114.3	
17 x 8	4.5	100-114.3	

PASSENGER CAR			\$ 216
SIZE	HOLE	P.C.D.	
17 x 7	4.5	100-114.3	

NEW

PASSENGER CAR			\$ 235
SIZE	HOLE	P.C.D.	
17 x 7.5 (F)	4.5	100-114.3	
17 x 7.5 (R)	4.5	100-114.3	

NEW

PASSENGER CAR			\$ 237
SIZE	HOLE	P.C.D.	
17 x 7.5	4.5	100-114.3	



PASSENGER CAR

S 241

SIZE	HOLE	P.C.D.
16 x 7	4 x 3.8	100-114.3
16 x 7	4 x 5.0/70	100-114.3
17 x 8	4 x 5.0/70	100-114.3
17 x 8	4 x 5.0/70	100-114.3

PASSENGER
CAR

PASSENGER CAR S 201

SIZE	HOLE	P.C.D.
16 x 7	4 x 5	100-114.3
16 x 8	4 x 5	100

PASSENGER CAR S 211

SIZE	HOLE	P.C.D.
15 x 7.5	4	100
15 x 8.5	4	100
16 x 8.5	4	100-114.3
16 x 10.5	4	100-114.3

PASSENGER CAR S 219

SIZE	HOLE	P.C.D.
15 x 7.5	4	100-114.3

PASSENGER CAR S 229

SIZE	HOLE	P.C.D.
15 x 7.5	4 x 5	100-114.3
15 x 8.5	4 x 5	100-114.3

NEW

PASSENGER CAR S 233

SIZE	HOLE	P.C.D.
15 x 8.5	4 x 5	100-114.3

PASSENGER CAR S 196

SIZE	HOLE	P.C.D.
16 x 8.5	4	100-114.3

NEW

PASSENGER CAR S 244

SIZE	HOLE	P.C.D.
16 x 7	4 x 5	100-114.3
16 x 9	4 x 5	100-114.3

NEW

PASSENGER CAR S 241

SIZE	HOLE	P.C.D.
16 x 7	4	100-114.3

4x4 LIGHT TRUCK

Part no. 201 19400 00000 0000 0000

NEW



4x4 / LIGHT TRUCK			9 231
SIZE	HOLE	P.C.D.	
17 x 6.5	0	130.7	
17 x 6.5	0	130.7	
18 x 6	0	130.7	
18 x 6	0	130.7	
20 x 6.5	0	130.7	
22 x 6	0	130.7	

Part no. 201 19400 00000 0000 0000

NEW



4x4 / LIGHT TRUCK			9 232
SIZE	HOLE	P.C.D.	
17 x 6.5	0	130.7	
17 x 6.5	0	130.7	
18 x 6	0	130.7	
18 x 6	0	130.7	
20 x 6.5	0	130.7	
22 x 6	0	130.7	



Part no. 201 19400 00000 0000 0000



COMING SOON 3D DESIGN



4x4 / LIGHT TRUCK			RTY 262
SIZE	HOLE	P.C.D.	
20 x 6.5	0	130.7	
20 x 6.5	0	130.7	



4X4 LIGHT TRUCK



4x4 LIGHT TRUCK			S 188
SIZE	HOLE	P.C.D.	
16x6	5	114.3/127	



4x4 LIGHT TRUCK			S 210
SIZE	HOLE	P.C.D.	
16x6	5	114.3/127	



4x4 LIGHT TRUCK			S 215
SIZE	HOLE	P.C.D.	
16x6	5	114.3	



NEW

4x4 LIGHT TRUCK			S 230
SIZE	HOLE	P.C.D.	
16x6	5	100	
17x6	4.5	108/114.3	



4x4 LIGHT TRUCK			S 100
SIZE	HOLE	P.C.D.	
17x6	5	100	
17x6	5	100	



COMING SOON

4x4 LIGHT TRUCK			STY 244
SIZE	HOLE	P.C.D.	
16x6	5	114.3/127	
16x6	5.5	114.3/127 P.C.D.	
16x6	5.5	114.3/127 P.C.D.	
17x6	5.5	114.3/127 P.C.D.	



4x4 LIGHT TRUCK		
SIZE	HOLE	P.C.D.
17 x 8	8	138.7
17 x 9	8	138.7
18 x 9	8	138.7
20 x 10	8	138.7
22 x 9.5	8	138.7



4x4 LIGHT TRUCK		
SIZE	HOLE	P.C.D.
18 x 8	6	149.3/150.7
18 x 9.5	5.5	150.1/151.5/152.7
18 x 10.5	5.5	150.1/151.5/152.7
20 x 9.5	4	139.1
20.7 x 10.5	6	139.1



4x4 LIGHT TRUCK		
SIZE	HOLE	P.C.D.
18 x 8.5	4.5	145.3/150.7
18 x 9.5	5.5	145.3/150.7
22 x 9.5	8	139.7



4x4 LIGHT TRUCK		
SIZE	HOLE	P.C.D.
20 x 8.5	8	138.7
22 x 10	6	138.7
24 x 10	8	138.7



4x4 LIGHT TRUCK		
SIZE	HOLE	P.C.D.
20 x 8.5	8	138.7



NEW

4x4 LIGHT TRUCK		
SIZE	HOLE	P.C.D.
20 x 8.5	8	138.7

The car is a VW model 3000 4x4



4X4

LIGHT TRUCK



*Please consult your application

4X4 LIGHT TRUCK

The set and Wheel MODEL 3102 PPKM



4x4 LIGHT TRUCK			S 151
SIZE	HOLE	PCD	
15 x 7.5	5.5	139.7	
16 x 8	6	139.7	
17 x 8	5.5	139.7	
18 x 8.5	5.5	139.7	



4x4 LIGHT TRUCK			S 152
SIZE	HOLE	PCD	
15 x 7.5	5.5	139.7	
16 x 8	6	139.7	
17 x 8	5.5	139.7	
18 x 8.5	5.5	139.7	
20 x 8.5	6	139.7	OPTIONAL



4x4 LIGHT TRUCK			S 172
SIZE	HOLE	PCD	
20 x 8.5	6	139.7	



4x4 LIGHT TRUCK			S 183
SIZE	HOLE	PCD	
18 x 8.5	6	139.7	



4x4 LIGHT TRUCK			S 190
SIZE	HOLE	PCD	
20 x 8	5.4, 7L, 10	139.7	



4x4 LIGHT TRUCK			S 192
SIZE	HOLE	PCD	
17 x 8	6	139.7	
20 x 8	6	139.7	



*Remark: CROSS-APPLICATION



EURO TECHNIK



EURO TECHNIK E 108

SIZE	HOLE	P.C.D.
18 x 8.5	4.5	100-114.3
19 x 8.5	4.5	100-114.3
20 x 8.5	4.5	100-114.3
20 x 9.5	4.5	100-114.3

NEW
COMING SOON

Finishing: Full Color, Full Paint

EURO TECHNIK E 106

SIZE	HOLE	P.C.D.
18 x 8.5	5	100-120
18 x 8.5	5	100-120
20 x 8.5	5	100-120
20 x 9.5	5	100-120

Finishing: Full Color, Full Paint



EURO TECHNIK E 101

SIZE	HOLE	P.C.D.
18 x 8.5	4.5	100-114.3
17 x 7	4.5	100-114.3

Finishing: Full Color, Full Paint



EURO TECHNIK E 102

SIZE	HOLE	P.C.D.
18 x 8.5	4.5	100-114.3
18 x 8.5	4.5	100-114.3

Finishing: Full Color, Full Paint



EURO TECHNIK E 103

SIZE	HOLE	P.C.D.
18 x 8.5	4.5	100-114.3
18 x 7	4.5	100-114.3
17 x 7	5	100-114.3

Finishing: Full Color



EURO TECHNIK E 104

SIZE	HOLE	P.C.D.
17 x 8	5	104.3-120
18 x 8	5	104.3-120

Finishing: Full Color, Full Paint



EURO TECHNIK E 105

SIZE	HOLE	P.C.D.
18 x 8.5	4.5	100-114.3
18 x 7	4.5	100-114.3
17 x 7.5	4.5	100-114.3

Finishing: Full Color, Full Paint



EURO TECHNIK E 107

SIZE	HOLE	P.C.D.
17 x 7	4.5	100-114.3
18 x 8.5	4.5	100-120
18 x 8.5	4.5	100-105
18 x 8.5	5	100-120
18 x 8.5	5	100-120

Finishing: Full Color

SUPER LIGHTWEIGHT



SUPER LIGHTWEIGHT		
SIZE	HOLE	P.C.D.
18x8.5	4.5.8	100-114.3



SUPER LIGHTWEIGHT		
SIZE	HOLE	P.C.D.
14x5.5	4.5.8	100-114.3



SUPER LIGHTWEIGHT		
SIZE	HOLE	P.C.D.
14x5.5	4.8	100-114.3 (100 (only))



SUPER LIGHTWEIGHT		
SIZE	HOLE	P.C.D.
18x8.5	4.5.8	100-114.3



SUPER LIGHTWEIGHT		
SIZE	HOLE	P.C.D.
14x5.5	4.5.8	100-114.3



SUPER LIGHTWEIGHT		
SIZE	HOLE	P.C.D.
18x8.5	4	100



SUPER LIGHTWEIGHT		
SIZE	HOLE	P.C.D.
17x8.5	4	100



SUPER LIGHTWEIGHT		
SIZE	HOLE	P.C.D.
15x5.5	4.8	100-114.3



NEW

SUPER LIGHTWEIGHT		
SIZE	HOLE	P.C.D.
17x7	4.5.8	100-114.3



NEW



SUPER LIGHTWEIGHT		
SIZE	HOLE	P.C.D.
17x8.5	4.8	100-114.3
17x7	4	100

PASSENGER / SUV

The car of choice MODEL 3211 (FF899)



SUV \$ 202

SIZE	W.H.S	P.C.D.
17x17	4 x 4 x 50	100-114.5
17x18	4 x 5	100-114.5
18x18	5 x 4	100-114.5
18x19	5 x 5	100-114.5/108.5
18x20	5 x 5	100-114.5/108.5



PASSENGER / SUV \$ 128

SIZE	W.H.S	P.C.D.
16x16	4	100-114.5
17x17	4	100-114.5
18x18	4	100-114.5

PASSENGER / SUV \$ 118

SIZE	W.H.S	P.C.D.
17x17	4	100-114.5
18x18	4	100-114.5
18x19	4	100-114.5

PASSENGER / SUV \$ 219

SIZE	W.H.S	P.C.D.
16x16	4	100-114.5

NEW PASSENGER / SUV \$ 248

SIZE	W.H.S	P.C.D.
16x17	4	100-114.5
16x18	4	100-114.5
16x19	4	100-114.5

POPULAR MODELS



S 038



S 068



S 076



S 093



S 103



S 105



S 120



S 124



S 154



S 168



S 175



S 182



S 184



S 095



S 194



S 187



S 112



PRODUCT COLOR CODE

SI	Steel
SS	Sparkling Steel
SK	Black
SM	Black Matt
SK	Blue
SKL	White
RS	Red
GR	Gold
GRG	Light Gold
YL	Yellow
OR	Orange
GR	Green
LRB	Light Blue
GR	Bronze Gloss
BLMT	Black Metallic
SM	Bronze Matt
GR	Bronze Gloss
GR	Gun Metallic

SM	Sun Metallic Matt
OW	Off White
WM	White Matt
AG	Anthracite Grey
AGM	Anthracite Grey Matt
GR	Grey
LY	Luminous Yellow
OR	Luminous Orange
PK	Luminous Pink
GC	Goldenrod
HS	Hyper Silver
HB	Hyper Black
AB	Amalite Bronze
ABD	Amalite Bronze Dark
AC	Amalite Copper
AD	Amalite Gold

OPTIONAL POLISHING

#PRODUCT COLOR CODE	#PRODUCT COLOR CODE
LP	Lip Polish
FP	Full Polish
CP	Center Polish
MLP	Matte Lip Polish
MLFP	Matte Full Polish
FP	Face Polish
SM	Spoke Milling
FM	Foot Milling
LPBK	Lip Polish Black
LPBR	Lip Polish Bronze
LC	Line
LR	Red Line
LB	Blue Line
LY	Yellow Line
ML	Machine Line Only
SC	Scratch Clear
MC	Mat Clear
MR	Red Mat Clear
MB	Blue Mat Clear
MY	Yellow Mat Clear
MR	Red Gloss Clear
MB	Blue Gloss Clear
MY	Yellow Gloss Clear
MR	Red Gloss Clear
ML	Machine Line Only
SP	Stainless Polish Lip
CL	Wormhole Chrome Lip



WARRANTY NOTICE

SSW warrants its original owner products manufactured and distributed by SSW on the following:

- 36 Months structural details warranty
- 12 Months on standard silver paint finishes
- 8 Months on chrome /pl chrome local finishes
- 4 months Luminous colors

Claims or goods returned under warranty must be accompanied with valid proof of purchase. Original receipt should be required where necessary.

Factory will not honor warranty claims on the following conditions:

- Wheel has sustained any form of curb damage or substantial impact damage.
- Wheel has been modified from originally produced (e.g. PCD Holes, Centre Bore or part over wheel etc).
- Wrong car care products used on the wheels.
- Wheels are used for racing, monster road or weather condition.
- Luminous colors are susceptible to degradation by ultraviolet light and may fade or discolor after an 18 month months of exposure to road condition. Before purchase, please be aware that SSW cannot be held responsible for the fading or discoloration of luminous coatings.

EXCLUSIVE DISTRIBUTORS

• Stamford Tyres (Africa) (Pty) Ltd

Unit 2, The Pavilion, DeWet Park, Century City 7941
Cape Town, South Africa
Tel: +27 21 351 7122 Fax: +27 21 351 2365
E-mail: stamfordafrica@stamfordtyres.com

• Stamford Tyres (Australia) Pty Ltd

Unit 1, No 1 Dupas Street, Southfield
NSW 2164, Australia
Tel: +61 2 9754 2205 Fax: +61 2 9759 2395
E-mail: australia@stamfordtyres.com
Website: www.stamfordtyres.com.au

• Stamford Tyres (M) Sdn Bhd

Stamford Main Office & Warehouse
18 Jalan Jaya 9/64 U1/25, Section 07 Hillside
Gompong, 40150 Shah Alam, Selangor, Malaysia
Tel: +60 3 8937 2612 / 2606 Fax: +60 3 8965 3096
E-mail: amoying_bhd@stamfordtyres.com

• Stamford Tyres International Pte Ltd

78, Lot 78/2 Jln. Jurong Singapore, 630029
Tel: +65 6262 2111
Fax: +65 6264 0145 / 4706
E-mail: stg@stamfordtyres.com
Website: www.stamfordtyres.com

• Stamford Tyres Distributors India Pvt Ltd

Office No.13, Dada-Vakil Building, Ground Floor
Near D.P. D. P. Park University, Sector 15, CBD
Bangalore, Near Maratha 433 814, Maheshwari, India
Tel: +91 22 3193 7771 0/9/4
E-mail: stamindia@stamfordtyres.com

• PT Stamford Tyres Distributor Indonesia

J. Sudirman Raya RA 19 No. 4-3 Palapa
Gading Permai Jakarta 14240 Indonesia
Tel: +62 21 450 74386
Fax: +62 21 430 74384
E-mail: ptid@stamfordtyresind.com

• Stamford Tyres Distributor Co., Ltd

123125 Nonthaburi Rachabuthin Road
Dongxong Thonburi, Bangkok 10705, Thailand
Tel: +662 578 2355 Fax: +662 678 2351
E-mail: stthailand@stamfordtyres.com
Website: www.stamfordtyres.com

• Tyre Pacific (Vietnam) Co., Ltd

9th Floor, Unit 903E, Centre Point Tower
104 Nguyen Van Thu St, Ward 6, Phu Nhuan District
Ho Chi Minh City, Vietnam
Phone: +84 8 2046 2223 Fax: +84 8 2046 3222



THE CUTTING EDGE OF DRIVING LIMIT